

No.

7100074

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Ceweles Seed Company

Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH. AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'XK-585'

In Testimony Whereof, I have hereunto set
my hand and caused the seal of the Plant
Variety Protection Office to be affixed
at the City of Washington
this 18th day of January in
the year of our Lord one thousand nine
hundred and seventy-four

Attest:

S. J. Rollin
Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service

Earl L. Butz

Secretary of Agriculture

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1. VARIETY NAME OR TEMPORARY DESIGNATION XK-585	2. KIND NAME Soybean	FOR OFFICIAL USE ONLY	
3. GENUS AND SPECIES NAME Glycine max	4. FAMILY NAME (Botanical) Leguminosae	PV NUMBER 7174	
	5. DATE OF DETERMINATION October 1970	FILING DATE 4.14.71	TIME 3 P.M.
		FEE RECEIVED \$ 250 \$ 250 \$ 250	BALANCE DUE \$ = \$ = \$ =
6. NAME OF APPLICANT(S) Teweles Seed Co. by Robert L. Teweles	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) 1600 Oregon Street Muscatine, Iowa 52761	8. TELEPHONE AREA CODE AND NUMBER 319-263-0142	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.)		10. STATE OF INCORPORATION	11. DATE OF INCORPORATION

12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers:

Mr. Robert L. Teweles
Teweles Seed Co.
1600 Oregon St.
Muscatine, Iowa 52761

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

☒ 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)☒ 13B. Exhibit B, Botanical Description of the Variety☒ 13C. Exhibit C, Objective Description of the Variety☒ 13D. Exhibit D, Data Indicative of Novelty☒ 13E. Exhibit E, Statement of the Basis of Applicant's Ownership14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a). (If "Yes," answer 14B and 14C below.)) ☐ YES ☒ NO14B. Does the applicant(s) specify that this variety be limited as to number of generations? ☐ YES ☒ NO ☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

14C. If "Yes," to 14B, how many generations of production beyond breeder seed?

The applicant declares that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable.

The undersigned applicant(s) of this sexually-reproduced novel plant variety believes that the variety is distinct, uniform, and stable as required in Section 41 and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant is informed that false representation herein can jeopardize protection and result in penalties.

January 25, 1973
(DATE)

Robert L. Teweles
(SIGNATURE OF APPLICANT)

(DATE)

(SIGNATURE OF APPLICANT)

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, **Agricultural** Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the **type** and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b **First, give** any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering-stage and the fruiting stage, Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the **differences**.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. **Seeds submitted** may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase **or** inheritance, etc.

12A - XK-585 = Wayne x T93A(c)1 & 6 bulked

1965-66 Obtained parental stock seed from USDA, Urbana. Illinois

1966 Hand crossed F_1 seed obtained

1967 F_1 plant grown out - F_2 seed obtained

1967-68 F_2 seed grown out in Hawaii

1968 Two F_3 individual plants selected, labeled Wayne x T93A(c)1 and (c)6 at Clinton, Wisconsin.

1968-69 Sent 62 and 67 grams of seed from these two plants - Wayne x T93A (c)1 and (c)6 respectively to Hawaii for winter increase. Obtained 1260 and 1600 grams of F_4 seed for increase and trials.

1969 Tested these F_1 lines at two locations in replicated yield trials. Established two increase blocks - 4 rows, two feet long. Increase blocks were rogued for off-type plants and to establish variety type. 220 and 300 pounds of breeders stock seed was produced.

1970 Tested lines Wayne x T93A(c)1 and (c)6 at two locations in replicated trials. Small commercial increase of 7.0 and 17 acres was checked for off-type plants. Line performance of the two lines was satisfactory in yield trials and in the increase. Both lines were bulked and assigned variety name of XK-585.

12B - Botanical Description of the Variety

I - Special characteristics of variety from seed planting to fruiting stage - Tend to vine at top, more so than Wayne.

II - Mature plant and seed characteristics.

<u>Variety</u>	<u>Hilum Color</u>	<u>Plant Pubescence</u>	<u>Plant Height</u>	<u>Plant Shape</u>	<u>Maturity</u>
XK-585 vs.	black	brown	37"	med.bushy	121
Wayne	black	brown	36"	med. bush	123
Calland	black	brown	38"	med.thin	125

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (GLYCINE MAX)

INSTRUCTIONS: See Reverse.

NAME OF APPLICANT(S)

L. Teweles Seed Company by Wm. H. Davis

ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)

Research Central

Route #1

Clinton, Wisconsin 53525

FOR OFFICIAL USE ONLY

PVPO NUMBER

7174

VARIETY NAME OR TEMPORARY
DESIGNATION

XK-585

Place the appropriate number that describes the varietal character of this variety in the boxes below.

1. SEED SHAPE:

 1 = SPHERICAL 2 = SPHERICAL
FLATTENED 3 = ELONGATE 4 = OTHER (Specify)

2. SEED COAT COLOR:

 1 = YELLOW 2 = GREEN 3 = BROWN 4 = BLACK 1 & 2 1 = LIGHT 2 = MEDIUM 3 = DARK
5 = OTHER (Specify)

3. SEED COAT LUSTER:

 1 = DULL 2 = SHINY

4. SEED SIZE

 GRAMS PER 100 SEEDS

5. HILUM COLOR:

 1 = BUFF 2 = YELLOW 3 = BROWN 4 = GRAY 5 = IMPERFECT
6 = BLACK 7 = OTHER (Specify) 1 1 = LIGHT 2 = MEDIUM 3 = DARK

6. COTYLEDON COLOR:

 1 = YELLOW 2 = GREEN

7. LEAFLET SIZE (See Reverse):

 1 = SMALL 2 = MEDIUM 3 = LARGE

8. LEAFLET SHAPE:

 1 = OVATE 2 = OBLONG 3 = LANCEOLATE 4 = ELLIPTICAL 5 = OTHER (Specify)

9. LEAF COLOR (See reverse):

 1 = LIGHT GREEN 2 = MEDIUM GREEN 3 = DARK GREEN

10. FLOWER COLOR:

 1 = WHITE 2 = PURPLE
3 = OTHER (Specify)

11. POD COLOR:

 1 = TAN 2 = BROWN 3 = BLACK

12. POD SET:

 1 = SCATTERED 2 = CONCENTRATED

13. PLANT PUBESCENCE COLOR:

 1 = GRAY 2 = BROWN 3 = OTHER (Specify)

SHADE:

 1 = LIGHT 2 = MEDIUM 3 = DARK

14. PLANT TYPES (See Reverse):

 1 = SLENDER 2 = BUSHY 3 = INTERMEDIATE

15. PLANT HABIT:

 1 = DETERMINATE 2 = INDETERMINATE
3 = OTHER (Specify)

16. HYPOCOTYL COLOR:

 1 = GREEN 2 = PURPLE

17. SEED PROTEIN:

 1 = A 2 = B

18. NUMBER OF DAYS TO FLOWERING

(Place a zero in first box (e.g.) when
days are 9 or less.)

19. MATURITY GROUP:

 1 = 00 2 = 0 3 = I 4 = II 5 = III
6 = IV 7 = V 8 = VI 9 = VII 10 = VIII20. SIZE OF 10 DAY OLD SEEDLING GROWN UNDER CONSTANT LIGHT (Growth Chamber) AT 25° C. (Place a zero in first box
(e.g.) when size is 9 mm. or less.) MM. LENGTH
OF SEEDLING MM. LENGTH
OF COTYLEDON MM. WIDTH
OF COTYLEDON

21. DISEASE: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) *tolerant

<input type="text" value="0"/> BACTERIAL PUSTULE	<input type="text" value="0"/> SOYBEAN CYST	<input type="text" value="0"/> DOWNY MILDEW	<input type="text" value="2"/> PURPLE STAIN	<input type="text" value="0"/> POD AND STEM BLIGHT	<input type="text" value="0"/> ROOT KNOT
<input type="text" value="0"/> FROGEYE	<input type="text" value="0"/> STEM CANKER	<input type="text" value="1"/> PHYTO- PHTHORA	<input type="text" value="0"/> BROWN STEM ROT	<input type="text" value="0"/> TARGET SPOT	<input type="text" value="0"/> BROWN SPOT
<input type="text" value="0"/> BUD BLIGHT	<input type="text" value="0"/> WILDFIRE	<input type="text" value="0"/> RHIZOCTONIA ROT	<input type="text" value="0"/> OTHER (Specify)		

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant shape	Wayne	Petiole angle	T93A
Leaf shape	Wayne	Seed size	Wayne
Leaf color	Wayne	Seed shape	Wayne
Leaf surface	Wayne	Seedling pigmentation	Wayne

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY:

VARIETY	NO. OF DAYS TO MATURITY	LODGING SCORE	PLANT HEIGHT CM	LEAF SIZE		CONTENT		AVERAGE NO. OF PODS PER PLANT	IODINE NO.
				Width	Length	Protein	Oil		
Submitted	121	2.1	38 ⁹⁷	-	-	40.8	22.4%	-	-
Name of similar variety Wayne	123	2.4	38 ⁹⁷	-	-	41.3	21.8	-	-

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

COLOR	VARIETY
Light Green	"Ada"
Medium Green	"Wilkin"
Dark Green	"Swift"

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

SIZE	VARIETY
Small	"Amsoy"
Medium	"Bonus"
Large	"Anoka"

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

TYPE	VARIETY
Slender	"Vansoy"
Intermediate	"Wirth"
Bushy	"Adelphia"

No. 7174 (XK-585)
EXHIBIT D

XK-585 most nearly resembles the variety, Wayne, its maternal parent. Significant variation or difference between these two varieties is as follows:

CHARACTER DIFFERENCES

<u>VARIETY</u>	<u>MATURITY</u>	<u>SEED COAT</u>	
XK-585	Group III - Averages two days earlier than Wayne	Varies from yellow to white - intermediate in lustre	Phytophthora Race 3 3 = moderately susceptible
Wayne	Group III	Yellow - shiny in lustre	2 = moderately resistant

#7174

12E - Applicant is the actual breeder; ownership rights are granted to and held by the L. Teweles Seed Company.

12A - XK-585 = Wayne x T93A(c)1 & 6 bulked

1965-66 Obtained parental stock seed from USDA, Urbana. Illinois

1966 Hand crossed F_1 seed obtained

1967 F_1 plant grown out - F_2 seed obtained

1967-68 F_2 seed grown out in Hawaii

1968 Two F_3 individual plants selected, labeled Wayne x T93A(c)1 and (c)6 at Clinton, Wisconsin.

1968-69 Sent 62 and 67 grams of seed from these two plants - Wayne x T93A (c)1 and (c)6 respectively to Hawaii for winter increase. Obtained 1260 and 1600 grams of F_4 seed for increase and trials.

1969 Tested these F_1 lines at two locations in replicated yield trials. Established two increase blocks - 4 rows, two feet long. Increase blocks were rogued for off-type plants and to establish variety type. 220 and 300 pounds of breeders stock seed was produced.

1970 Tested lines Wayne x T93A(c)1 and (c)6 at two locations in replicated trials. Small commercial increase of 7.0 and 17 acres was checked for off-type plants. Line performance of the two lines was satisfactory in yield trials and in the increase. Both lines were bulked and assigned variety name of XK-585.

12B - Botanical Description of the Variety

I - Special characteristics of variety from seed planting to fruiting stage - Tend to vine at top, more so than Wayne.

II - Mature plant and seed characteristics.

<u>Variety</u>	<u>Hilum Color</u>	<u>Plant Pubescence</u>	<u>Plant Height</u>	<u>Plant Shape</u>	<u>Maturity</u>
XK-585 vs.	black	brown	37"	med.bushy	121
Wayne	black	brown	36"	med. bush	123
Calland	black	brown	38"	med.thin	125

#7174

12E - Applicant is the actual breeder; ownership rights are granted to and held by the L. Teweles Seed Company.